

TABLE OF CONTENTS



P. 1 HEX LUG NUTS



P. 2 SPIKE LUG NUTS



P. 3 SPLINE LUG NUTS



P. 5 LUG BOLTS



P. 7 OEM LUG NUTS



P. 9 PREMIUM LUG NUTS



P. 11 - 14 MUTEKI & MONSTER



P. 15 STUD CONVERSIONS



P. 16 WHEEL LOCKS



P. 17 UNIVERSAL SPACERS



P. 19 HUB-CENTRIC SPACERS



P. 21 BOLT-ON HUB-CENTRIC



P. 23 - 28 WHEEL ADAPTERS



P. 29 HUB-CENTRIC RINGS




P. 31 VALVE STEMS



P. 33 TPMS TOOLS & SENSORS



P. 35 TOOLS & STORAGE



P. 37 WHEEL & TIRE CARE + DISPLAYS

REFERENCE & INFORMATION



Acorn Bulge	E.T. Conical	Spline	Tuner	Description
Aftermarket wheels	Aftermarket wheels	Small diameter aftermarket wheels (outer key)	Small diameter aftermarket wheels (inner key)	Wheel Type
60° Tapered	60° Tapered	60° Tapered	60° Tapered	Seat

Torque & Turns		
Hardware Bolt or Stud Size	Typical Torque Range in Foot-Pounds	Minimum Number of Turns for Hardware Engagement
12x1.5mm	70-80	6.5
12x1.25mm	70-80	8
12x1.75mm	70-80	5
14x1.5mm	85-90	7.5
14x1.25mm	85-90	9
7/16 in.	70-80	9
1/2 in.	75-85	8
9/16 in.	135-145	8

ICON LEGEND



Truck / SUV

All wheel accessories specified by the icon above, are compatible with SUVs or Trucks.



Passenger

All wheel accessories specified by the icon above, are compatible with passenger vehicles.



Euro

All wheel accessories specified by the icon above, are compatible with European vehicles.

inch	0.86	0.93	0.86	1.10	1.18	1.22	1.25	1.30	1.38	1.30	1.30	1.30	1.30	1.30	1.97	2.36
mm	21.84	23.62	21.84	27.94	30.00	31.75	30.99	33.00	35.00	38.61	39.37	40.00	45.00	48.00	50.00	60.00

HEX LUG NUTS



Acorn Bulge Seat 1pc  

Size	Part #
12x1.25mm	70021B
12x1.50mm	70022B
14x1.50mm	70023B
7/16"RH	70024B
1/2"RH	70025B
12x1.75mm	70026B


50 Box | 500 Case



Acorn Bulge Seat 1pc  

Size	Part #
12x1.25mm	70021BK
12x1.50mm	70022BK
14x1.50mm	70023BK
1/2" RH	70025BK

50 Box | 500 Case



Acorn Bulge Seat XL 1pc 

Size	Part #
12x1.25mm	70091B
12x1.50mm	70092B
14x1.50mm	70093B
7/16" RH	70094B
1/2" RH	70095B
12x1.75mm	70096B
14x2.00mm	70097B
9/16"RH	70098B


25 Box | 250 Case



Acorn Bulge Seat XL 1pc 

Size	Part #
14x1.50mm	70093BK
1/2" RH	70095BK
14x2.00mm	70097BK
9/16"	70098BK


25Box | 250 Case



Acorn Bulge Seat XXL 1pc 

Size	Part #
14x1.50mm	70353B
12x1.75mm	70356B
14x2.00mm	70357B
9/16"RH	70358B


25 Box | 250 Case



Acorn E.T. 2pc  

Size	Part #
12x1.25mm	70401B
12x1.50mm	70402B
14x1.50mm	70403B
7/16"RH	70404B
1/2"RH	70405B
12x1.75mm	70406B


50 Box | 500 Case



Open End Bulge Seat 1pc  

Size	Part #
12x1.25mm	70031B
12x1.50mm	70032B
14x1.50mm	70033B
7/16"RH	70034B
1/2"RH	70035B
12x1.75mm	70036B
14x2.00mm	70037B
9/16"RH	70038B


50 Box | 500 Case



Open End Acorn E.T. 1pc  

Size	Part #
12x1.25mm	70411B
12x1.50mm	70412B
14x1.50mm	70413B
7/16"RH	70414B
1/2"RH	70415B
12x1.75mm	70416B

50 Box | 500 Case



Tuner Style Lug Nuts 

Size	Part #
12x1.25mm	70071T
12x1.50mm	70072T
14x1.50mm	70073T
7/16"RH	70074T
1/2"RH	70075T
12x1.75mm	70076T


50 Box | 500 Case



Key # 76004

SPIKE
LUG NUTS

- High Quality Carbon Steel
- Rust Inhibiting Technology
- Chip and Scratch Resistant
- Specifically Designed Key



Spike Chrome 1pc  

Size	Part #
12x1.25mm	60201SPC
12x1.50mm	60202SPC
1/2" RH	60215SPC
14x1.50mm	60213SPC
14X2.00mm	60217SPC
9/16" RH	60218SPC

Sold in Kits (Key Included)



Spike Black 1pc  

Size	Part #
12x1.25mm	60201SPBK
12x1.50mm	60202SPBK
1/2" RH	60215SPBK
14x1.50mm	60213SPBK
14X2.00mm	60217SPBK
9/16" RH	60218SPBK

Sold in Kits (Key Included)



Spike Key

Part #
66010SPK

Sold Individually




Spline Lug Nuts

Style + Security

Fits small diameter recesses.
Adds additional security.




SPLINE LUG NUTS



Spline Drive (7 Point) 1pc

Size	Part #
14x1.50mm	70213S
12x1.75mm	70216S
14x2.00mm	70217S
9/16" RH	70218S



25 Box | 250 Case



Spline Drive (7 Point) 1pc

Size	Part #
14x1.50mm	70213SBK
14x2.00mm	70217SBK
9/16" RH	70218SBK


25 Box | 250 Case



Spline Drive (6 Point) 1pc

Size	Part #
12x1.25mm	70201S
12x1.50mm	70202S
7/16" RH	70204S
1/2" RH	70205S
12x1.75mm	70206S


50 Box | 500 Case



Spline Drive (6 Point) 1pc

Size	Part #
12x1.25mm	70201SBK
12x1.50mm	70202SBK
1/2" RH	70205SBK



50 Box | 500 Case



Spline Drive (6 Point) 1pc

Size	Part #
12x1.25mm	70201SRED
12x1.50mm	70202SRED



50 Box | 500 Case



Spline Drive E.T. 1pc

Size	Chrome #
12x1.25mm	70221S
12x1.50mm	70222S
14x1.50mm	70223S
7/16"RH	70224S
1/2"RH	70225S
12x1.75mm	70226S



50 Box | 500 Case



Spline Drive Open End E.T. 1pc

Size	Chrome #
12x1.25mm	70251S
12x1.50mm	70252S
1/2"RH	70255S



50 Box | 500 Case



Spline Drive Open End 1pc

Size	Chrome #
12x1.25mm	70231S
12x1.50mm	70232S
7/16"RH	70234S
1/2"RH	70235S


50 Box | 500 Case



Spline Drive (6 Point) 1pc

Size	Part #
12x1.25mm	70201SBLU
12x1.50mm	70202SBLU


50 Box | 500 Case



Spline Drive (7 Point) 1pc

Size	Part #
14x1.50mm	70203S
14x2.00mm	70207S
9/16" RH	70208S



25 Box | 250 Case



Spline Drive (7 Point) 1pc

Size	Part #
14x1.50mm	70203SBK

25 Box | 250 Case



Spline Drive Open End 1pc

Size	Chrome #
14x1.50mm	70243S
12x1.75mm	70246S
14x2.00mm	70247S
9/16"	70248S

50 Box | 500 Case



6 Spline Drive Key

Head Size:	Part #
3/4" & 13/16" Hex	76007

15 Box | 150 Case



7 Spline Drive Key

Head Size:	Part #
13/16" & 7/8" Hex	76010

10 Box | 100 Case

Lug Bolts

Strength + Luster

1045 Carbon Steel Heat Treated to 10.9 Grade. All bolt finishes are corrosion tested using a 48 hour salt spray.



CONE SEAT

For use with most aftermarket wheels and (some) factory wheels.

BALL SEAT


For use with most factory European wheels and (some) aftermarket wheels.

LUG BOLTS



Spline Bolt Conical
chrome & black

12 x 1.25 Cone Seat		12 x 1.50 Cone Seat		14 x 1.25 Cone Seat		14 x 1.50 Cone Seat	
Thread	Length Part #	Thread	Length Part #	Thread	Length Part #	Thread	Length Part #
28mm	70511S	28mm	70512S	28mm	70519S	28mm	70513S
28mm	70511SBK	28mm	70512SBK	28mm	70519SBK	28mm	70513SBK
		39mm	70522S			39mm	70523S
		45mm	70562S			45mm	70563S



Use Key # 76007




6 Spline Key
Part #
76007
Socket: 3/4" and 13/16"
Each (15 Box)

20 Box | 200 Case



Hex Bolt Conical
chrome & black

12 x 1.25 Cone Seat		12 x 1.50 Cone Seat		14 x 1.25 Cone Seat		14 x 1.50 Cone Seat	
Thread	Length Part #	Thread	Length Part #	Thread	Length Part #	Thread	Length Part #
24mm	70501C	24mm	70502C	24mm	70509C	24mm	70503C
28mm	70511C	28mm	70512C	28mm	70519C	28mm	70513C
28mm	70511BK	28mm	70512BK	28mm	70519BK	28mm	70513BK
39mm	70521C	39mm	70522C	39mm	70529C	32mm	70593C
		39mm	70522BK	39mm	70529BK	35mm	70573C
		45mm	70562C			39mm	70523C
		45mm	70562BK			39mm	70523BK
		50mm	70532C			45mm	70563C
		50mm	70532BK			45mm	70563BK
		60mm	70542C			50mm	70533C
						50mm	70533BK



Cap Puller - 1800PL
Cap Chrome - 1800CP
Cap Black - 1800BP



Conical to Radius
Washer - 70905




20 Box | 200 Case



Tuner Bolt Conical
chrome

12 x 1.25 Cone Seat		12 x 1.50 Cone Seat		14 x 1.25 Cone Seat		14 x 1.50 Cone Seat	
Thread	Length Part #	Thread	Length Part #	Thread	Length Part #	Thread	Length Part #
28mm	70551T	24mm	70572T	N/A		24mm	70572T
		28mm	70552T			28mm	70553T
		32mm	70562T			32mm	70563T
						39mm	70523T



Use Key # 76004




6 Sided Tuner Key
Part #
76004
Socket: 3/4" and 13/16"
Each (20 Box)

20 Box | 200 Case



Hex Bolt Radius
chrome & black

12 x 1.25 Ball Seat		12 x 1.50 Ball Seat		14 x 1.25 Ball Seat		14 x 1.50 Ball Seat	
Thread	Length Part #	Thread	Length Part #	Thread	Length Part #	Thread	Length Part #
28mm	70611C	24mm	70602C	N/A		24mm	70603C
39mm	70621C	28mm	70612C			28mm	70613C
		28mm	70612BK			28mm	70613BK
		39mm	70622C			35mm	70673C
		39mm	70622BK			39mm	70623C
		45mm	70632C			39mm	70623BK
		50mm	70662C			45mm	70633C
		60mm	70682C			45mm	70633BK
						50mm	70663C




Cap Puller - 1800PL
Cap Chrome - 1800CP
Cap Black - 1800BP




20 Box | 200 Case

Small Head
zinc



12 x 1.50 Sm. Head		14 x 1.50 Sm. Head	
Thread	Length Part #	Thread	Length Part #
20mm	40574C	20mm	40576C

PCD Variable
zinc



14x1.50 Variable	
Thread	Length Part #
27mm	70513V

*Maximum guarantee PCD variation on radius: 1.2mm


With this bolt you can use a wheel with a bolt pattern of up to 2.4mm in difference than the vehicle it is being installed on.



inch	0.86	0.93	0.86	1.10	1.18	1.22	1.25	1.30	1.38	1.30	1.30	1.30	1.30	1.30	1.97	2.36
mm	21.84	23.62	21.84	27.94	30.00	31.75	30.99	33.00	35.00	38.61	39.37	40.00	45.00	48.00	50.00	60.00


OEM Lug Nuts

Chrome and black options for factory wheels. Direct replacements for OEM lugs.




Range Rover - (7/8")

Size 14x1.50mm
Part # 70093RRC



Range Rover - (7/8")

Size 14x1.50mm
Part # 70093RRBK




Range Rover - (7/8")

Size 14x1.50mm
Part # 70093RR0205BK

40 Box | 160 Case

40 Box | 160 Case


50 Box | 200 Case



Toyota/Nissan - (13/16")

Size 12x1.25mm
12x1.50mm
Part # 70021NC
70022TAC


60 Box | 180 Case



Toyota/Nissan - (13/16")

Size 12x1.25mm
12x1.50mm
Part # 70021NBK
70022TABK

60 Box | 180 Case



Toyota Tundra (7/8")

Size 14x1.50mm
Part # 70093TUBK



50 Box | 200 Case



Ford Truck (13/16")

Size 14x1.50mm
14x1.50mm
14x2.00mm
14x2.00mm
Part # 70093FTC
70093FTBK
70097FTC
70097FTBK

40 Box | 160 Case




Porsche Open-End (3/4")

Size 14x1.50mm
Part # 70033R

Radius Seat: 14mm


50 Box | 500 Case



Chevrolet - (7/8")

Size 12x1.50mm
14x1.50mm
Part # 70032CB
70033CB

50 Box | 200 Case



Chrysler/Chevrolet (7/8")

Size 14x1.50mm
9/16" RH
Part # OEM 70093B
OEM 70098B

50 Box | 200 Case



Chrysler/Chevrolet (7/8")

Size 14x1.50mm
9/16" RH
Part # OEM 70093BK
OEM 70098BK

50 Box | 200 Case

The following factory wheels require ball seat lug bolts.

- Audi
- Mercedes
- Porsche
- Volkswagen




See page # 5



Premium Lug Nuts


These spline lug nuts are made of 1045 Carbon Steel and Heat Treated to 10.9 grade. Carbon Steel is a high strength alloy. It allows for a high luster surface finish and has a tensile strength of 160,000 psi. All of our premium products are corrosion tested using a 48 hour salt spray.



Spline Drive (6 Point) 2pc  

Size	Part #
12x1.25mm	60201S
12x1.50mm	60202S
7/16" RH	60204S
1/2" RH	60205S
12x1.75mm	60206S


100 Box | 600 Case



Spline Drive (6 Point) 2pc  

Size	Part #
12x1.25mm	60201SBK
12x1.50mm	60202SBK
1/2" RH	60205SBK


100 Box | 600 Case



Spline Drive (6 Point) 2pc  

Size	Part #
14x1.50mm	60203S

60 Box | 240 Case



Spline Drive Open End  

Size	Chrome #
14x1.50mm	60243S
12x1.75mm	60246S
14x2.00mm	60247S
9/16"	60248S

100 Box | 600 Case



6 Spline Drive Key (Small)

Head Size:	Part #
3/4" & 13/16" Hex	76007


15 Box | 150 Case



6 Spline Drive Key (Large)

Head Size:	Part #
13/16" & 7/8" Hex	66010


20 Box | 120 Case



Spline Drive (6 Point) 2pc  

Size	Part #
14x1.50mm	60203SBK


60 Box | 240 Case



Spline Drive (6 Point) 2pc 

Size	Part #
14x1.50mm	60213S
14x2.00mm	60217S
9/16" RH	60218S

60 Box | 240 Case



Spline Drive (6 Point) 2pc 

Size	Part #
14x1.50mm	60213SBK
14x2.00mm	60217SBK
9/16" RH	60218SBK

60 Box | 240 Case



Chrome Finish

Double nickel plated to surpass a 48 hour salt spray.



Black Finish

Coated with black zinc, then painted using an electro-disposition process to ensure corrosion resistance and a long lasting luster.



無敵

MUTEKI

SR48SR35

無敵SR48

無敵SR48

無敵SR48

無敵SR35

無敵SR35

無敵SR35

LOCK SETS (OPTIONAL)

INCLUDE 16 LUGS + 4 LOCKS

THE ORIGINAL TUNING LUG

- MADE OUT OF FORGED HIGH GRADE STEEL
- INCLUDE 20 PIECES LUG NUTS
- INCLUDE KEY ADAPTER
- AVAILABLE : 12X1.5 AND 12X1.25
- COMPACT SIZE TO FIT SMALLER DIAMETER WHEEL HOLES
- 60 DEGREE TAPER SEAT

MUTEKI LUG NUTS



SR48 Open End - Silver

Size	Part #
12x1.25mm	32905S
12x1.50mm	32906S

Each



SR48 Open End - Red

Size	Part #
12x1.25mm	32905R
12x1.50mm	32906R

Each



SR48 Open End - Blue

Size	Part #
12x1.25mm	32905U
12x1.50mm	32906U

Each



SR48 Open End - Titanium

Size	Part #
12x1.25mm	32905T
12x1.50mm	32906T

Each



SR48 Open End - Purple

Size	Part #
12x1.25mm	32905L
12x1.50mm	32906L

Each



SR48 Open End - Pink

Size	Part #
12x1.25mm	32905K
12x1.50mm	32906K


Each



SR48 Open End - Black

Size	Part #
12x1.25mm	32905B
12x1.50mm	32906B

Each



SR48 Open End - Green

Size	Part #
12x1.25mm	32905G
12x1.50mm	32906G

Each



SR48 Open End - Orange

Size	Part #
12x1.25mm	32905O
12x1.50mm	32906O

Each



SR48 Open End - Gold

Size	Part #
12x1.25mm	32905Z
12x1.50mm	32906Z

Each



SR48 Open End - Burned Blue

Size	Part #
12x1.25mm	32905UN
12x1.50mm	32906UN

Each



SR48 Open End - Neo Chrome

Size	Part #
12x1.25mm	32905N
12x1.50mm	32906N

Each

- HIGHLIGHT YOUR CUSTOM WHEELS WITH A SET OF MONSTER LUG BRAND LUGS!
- MADE OF HIGH STRENGTH CHROM VANADIUM STEEL FOR LIGHTNESS AND DURABILITY
- AVAILABLE IN A VARIETY OF COLORS TO MATCH YOUR VEHICLE'S LOOK
- OPTIONAL LOCKS AND CAPS CAN BE PURCHASED SEPARATELY
- GET THE ORIGINAL AND FIRST!
- MONSTER LUG - AVAILABLE IN 14X1.5 AND 1/2" THREAD PITCH

LOCK SET (OPTIONAL)

INCLUDE : 20 PIECES LUG NUT AND KEY ADAPTER

INCLUDE : 4 LOCKS AND 2 KEY ADAPTER

CLOSED END CAP SET (OPTIONAL)

MONSTER LUG NUTS



MONSTER LUG - Black

Size	Part #
14x1.50mm	33006B
1/2" RH	33004B

Each



MONSTER LUG - Purple

Size	Part #
14x1.50mm	33006L
1/2" RH	33004L

Each



MONSTER LUG - Silver

Size	Part #
14x1.50mm	33006S
1/2" RH	33004S

Each



MONSTER LUG - Chrome

Size	Part #
14x1.50mm	33006C
1/2" RH	33004C

Each



MONSTER LUG - Red

Size	Part #
14x1.50mm	33006R
1/2" RH	33004R

Each



MONSTER LUG - Blue

Size	Part #
14x1.50mm	33006U
1/2" RH	33004U

Each



MONSTER LUG - Titanium

Size	Part #
14x1.50mm	33006T
1/2" RH	33004T

Each



MONSTER LUG - Neo Chrome

Size	Part #
14x1.50mm	33006N
1/2" RH	33004N

Each






MONSTER LOCK SETS


Size	Part #
14x1.50mm	33002 (Specify Color)
12x1.50mm	32906 (Specify Color)

Each

STUD CONVERSIONS



								
Part # 77502	Part # 77503	Part # 77504	Part # 77505	Part # 77507	Part # 77508	Part # 77511	Part # 77512	Part # 77513
Thread Pitch: 12x1.25mm	Thread Pitch: 12x1.50mm	Thread Pitch: 12x1.50mm	Thread Pitch: 12x1.50mm	Thread Pitch: 1/2" 14x1.50mm	Thread Pitch: 1/2" 14x1.50mm	Thread Pitch: 1/2" 14x1.50mm	Thread Pitch: 12x1.25mm	Thread Pitch: 14x1.50mm
Qty. 100/Box	Qty. 100/Box	Qty. 100/Box	Qty. 60/Box	Qty. 100/Box	Qty. 60/Box	Qty. 60/Box	Qty. 60/Box	Qty. 60/Box

							
Part # 77514	Part # 77515	Part # 77516	Part # 77516XL	Part # 77518	Part # 77519	Part # 77520	Part # 77521
Thread Pitch: 12x1.75mm	Thread Pitch: 12x1.50mm 14x1.50mm	Thread Pitch: 14x1.50mm	Thread Pitch: 14x1.50mm	Thread Pitch: 1/2" 14x1.50mm	Thread Pitch: 14x1.25mm 12x1.50mm	Thread Pitch: 14x1.25mm 12x1.50mm	Thread Pitch: 14x1.25mm 12x1.50mm
Qty. 100/Box	Qty. 100/Box	Qty. 100/Box	Qty. 60/Box	Qty. 100/Box	Qty. 100/Box	Qty. 100/Box	Qty. 100/Box

EXTENDED WHEEL STUDS



Extended Factory Studs (60mm)		
Part #	Knurl DIA	Vehicle
37117T	12.22mm	Honda / Acura
37120T	12.90mm	Hyundai
37122T	14.38mm	Mitsubishi
37123T	14.35mm	Nissan / Infiniti
37124T	14.38mm	Subaru / FRS
Qty. Each (25 Box / 250 Case)		

Extended Stud Conversions		
Part #	Thread Pitch	Length
37102XL	12x1.50	75mm
37102XX	12x1.50	90mm
37104XL	14x1.50	75mm
37104XX	14x1.50	90mm
Qty. Each (25 Box / 250 Case)		

Allen Key	
Part #	
76004A	
Qty. Each	
For extended studs only.	

WHEEL LOCKS



Acorn - Chrome 1.26"

Size	FCB Part#
12x1.25mm	71001
12x1.50mm	71002
14x1.50mm	71003
7/16"RH	71004
1/2"RH	71005
12x1.75mm	71006

4 Locks and Key | 6 Set Box

Acorn Long - Chrome 1.90"

Size	FCB Part#
14x1.50mm	71103
1/2"RH	71105
12x1.75mm	71106
14x2.00mm	71107
9/16"RH	71108

4 Locks and Key | 6 Set Box

Open End - Chrome .86"

Size	FCB Part#
12x1.25mm	71011
12x1.50mm	71012
7/16"RH	71014
1/2"RH	71015
12x1.75mm	71016

4 Locks and Key | 6 Set Box



Open End Long - Chrome 1.00"

Size	FCB Part#
14x1.50mm	71093
14x2.00mm	71097
9/16"RH	71098

4 Locks and Key | 6 Set Box



Conical Seat Bolt - Chrome

Size	FCB Part#
12x1.50mm	71041 (28mm)
12x1.50mm	71049 (39mm)
14x1.50mm	71043 (28mm)
14x1.50mm	71051 (39mm)
14x1.25mm	71046 (28mm)

4 Locks and Key | 6 Set Box



Radius Seat Bolt - Chrome

Size	FCB Part#
12x1.50mm	71044 (28mm)
12x1.50mm	71052 (39mm)
14x1.50mm	71045 (28mm)
14x1.50mm	71053 (39mm)

4 Locks and Key | 6 Set Box



Acorn - Black 1.26"

Size	FCB Part#
12x1.25mm	71002BK
12x1.50mm	71002BK
14x1.50mm	71003BK
1/2"RH	71005BK

4 Locks and Key | 6 Set Box



Acorn Long - Black 1.90"

Size	FCB Part#
14x1.50mm	71103BK
14x2.00mm	71107BK
9/16"RH	71108BK

4 Locks and Key | 6 Set Box



Conical Seat Bolt - Black

Size	FCB Part#
12x1.50mm	71041BK (28mm)
14x1.50mm	71043BK (28mm)
14x1.25mm	71046BK (28mm)


4 Locks and Key | 6 Set Box

Wheel Spacers


Made of high-strength die cast aluminum with shot peened finish for additional resistance to cracking.

Fits multiple bolt patterns.

Great for minor clearance issues.




WHEEL SPACERS




8mm (5/16") Thick

Part# 77006 (605)
Fits: 5 Lug [100/4.25 to 120/4.75 BC]
Qty. Each (100 Case)



6mm (1/4") Thick

Part# 77004 (603)
Fits: 5 & 6 Lug [5x135, 6x135, 5x5.5, 6x5.5 BC]
Qty. Each (50 Case)




12mm (1/2") Thick

Part# 77004L (603L)
Fits: 5 & 6 Lug [5x135, 6x135, 5x5.5, 6x5.5 BC]
Qty. Each (50 Case)




3mm (1/8") Thick

Part# 77001 (600)
Fits: 4 & 5 Lug [100/4.25 to 120/4.75 BC]
Qty. Each (100 Case)




5mm (1/4") Thick

Part# 77007 (606)
Fits: 4 & 5 Lug [100/4.25 to 120/4.75 BC]
Qty. Each (100 Case)



8mm (5/16") Thick

Part# 77002 (601)
Fits: 4 & 6 Lug [100/4.25 to 120/4.75 BC + 6x4.50]
Qty. Each (100 Case)




6mm (1/4") Thick

Part# 77005 (604)
Fits: 8 Lug [8x180, 8x170, 8x6.5 BC]
Qty. Each (50 Case)

Bolt Pattern Conversion

Metric	Inch
4 x 100mm	4 x 3.93in
4 x 107.95mm	4 x 4.25in
4 x 110mm	4 x 4.33in
4 x 114.3mm	4 x 4.5in
4 x 130mm	4 x 5.12in
4 x 140mm	4 x 5.51in
5 x 100mm	5 x 4.00in
5 x 107.3mm	5 x 4.22in
5 x 108mm	5 x 4.25in
5 x 110mm	5 x 4.33in
5 x 112mm	5 x 4.41in
5 x 114.3mm	5 x 4.50in
5 x 115mm	5 x 4.53in
5 x 120mm	5 x 4.72in
5 x 120.7mm	5 x 4.75in
5 x 127mm	5 x 5.00in
5 x 130mm	5 x 5.12in
5 x 135mm	5 x 5.31in
5 x 139.7mm	5 x 5.50in
5 x 150mm	5 x 5.91in
5 x 165.1mm	5 x 6.50in
6 x 114.3mm	6 x 4.50in
6 x 115mm	6 x 4.53in
6 x 127mm	6 x 5.00in
6 x 132mm	6 x 5.20in
6 x 135mm	6 x 5.31in
6 x 139.7mm	6 x 5.50in
7 x 150mm	7 x 5.91in
8 x 165.1mm	8 x 6.50in
8 x 170mm	8 x 6.69in




8mm (5/16") Thick

Part# 77003 (602)
Fits: 5 Lug [108/4.25 to 135/5.00 BC]
Qty. Each (100 Case)




12mm (1/2") Thick

Part# 77003L (602L)
Fits: 5 Lug [108/4.25 to 135/5.00 BC]
Qty. Each (50 Case)



5mm (1/4") Thick

Part# 77010 (607)
Fits: 5 Lug [100/4.25 to 120/4.75 BC]
Qty. Each (100 Case)




Hub-Centric Spacers

Premium quality, made from the strongest aerospace grade billet aluminum.

These spacers provide a precision fit and a wider stance without vibration. These are also the superior solution to clearance issues.



HUB-CENTRIC SPACERS



European Vehicles

Part #	Bolt Pattern (mm)	Hub (mm) / Collar (mm)	Thickness	Suggested Lug Bolt	Common Applications
77100	4 x 100	57.1 / no collar	5mm	32mm	4 Lug VW / BMW
77101	4 x 100	57.1 / no collar	8mm	35mm	4 Lug VW / BMW
77102	4 x 100	57.1 / with collar	15mm	42mm	4 Lug VW / BMW
77103	4 x 100	57.1 / with collar	20mm	48mm	4 Lug VW / BMW
77104	5 x 100 / 5 x 112	57.1 / no collar	3mm	28mm	VW / Audi
77105	5 x 100 / 5 x 112	57.1 / no collar	5mm	32mm	VW / Audi
77106	5 x 100 / 5 x 112	57.1 / no collar	8mm	35mm	VW / Audi
77107	5 x 100 / 5 x 112	57.1 / no collar	10mm	39mm	VW / Audi
77108	5 x 100 / 5 x 112	57.1 / with collar	12mm	42mm	VW / Audi
77109	5 x 100 / 5 x 112	57.1 / with collar	15mm	45mm	VW / Audi
77110	5 x 100 / 5 x 112	57.1 / with collar	20mm	50mm	VW / Audi
77111	5 x 112	66.56 / no collar	5mm	32mm	Mercedes / Audi
77112	5 x 112	66.56 / with collar	12mm	39mm	Mercedes / Audi
77113	5 x 112	66.56 / with collar	15mm	42mm	Mercedes / Audi
77114	5 x 112	66.56 / with collar	17mm	45mm	Mercedes / Audi
77115	5 x 112	66.56 / with collar	20mm	50mm	Mercedes / Audi
77118	5 x 120	72.56 / with collar	10mm	39mm	BMW
77119	5 x 120	72.56 / with collar	12mm	39mm	BMW
77120	5 x 120	72.56 / with collar	15mm	42mm	BMW
77121	5 x 120	72.56 / with collar	17mm	45mm	BMW
77122	5 x 120	72.56 / with collar	20mm	50mm	BMW
77126	5 x 120	74.1 / with collar	12mm	39mm	BMW (certain models)
77127	5 x 120	74.1 / with collar	15mm	45mm	BMW (certain models)
77124BK	5 x 130	71.6 / with collar	15mm	45mm	Porsche
77125BK	5 x 130	71.6 / with collar	20mm	50mm	Porsche
77116	5 x 108 / 5 x 114.3	67.1 / no collar	3mm	28mm	Ferrari
77117	5 x 108 / 5 x 114.3	67.1 / no collar	5mm	32mm	Ferrari

JDM Vehicles

Part #	Bolt Pattern (mm)	Hub (mm) / Collar (mm)	Thickness	Extended Stud #	Common Applications
47017	5 x 114.3	66.1 / with collar	15mm	37123T	Nissan / Infiniti
47019	5 x 114.3	66.1 / with collar	20mm	37123T	Nissan / Infiniti
47021	5 x 114.3	64.1 / with collar	15mm	37117T	Honda / Acura
47023	5 x 114.3	64.1 / with collar	20mm	37117T	Honda / Acura
47029	5 x 114.3	67.1 / with collar	15mm	37120T	Mitsu / Mazda / Hyundai
47031	5 x 114.3	67.1 / with collar	20mm	37120T	Mitsu / Mazda / Hyundai
47041	5 x 100	56.1 / with collar	15mm	37124T	Subaru / Scion FRS
47043	5 x 100	56.1 / with collar	20mm	37124T	Subaru / Scion FRS



JDM Vehicles will require the installation of longer studs. Shown Below.

See page # 15




Bolt-On Hub-Centric Spacers

Hub-Centric Bolt-On Spacers are constructed of forged aluminum for maximum strength and durability. These adapter style spacers provide a precision fit while avoiding the installation of longer factory studs.



BOLT-ON HUB-CENTRIC SPACERS

Size Guide (actual thickness)



Passenger Vehicles (20mm)



Part #	Bolt Pattern (mm)	Hub Diameter (mm)	Thickness	Stud Thread Pitch	Common Applications
47301	5 x 114.3	66.1	20mm	12 x 1.25	Nissan / Infinity
47302	5 x 114.3	70.1	20mm	12 x 1.50	NSX / S2000 Front
47303	5 x 100	56.1	20mm	12 x 1.25	Subaru / FRS
47307	5 x 114.3	60.1	20mm	12 x 1.50	Toyota / Lexus
47310	5x 114.3	67.1	20mm	12 x 1.50	Mitsu. / Mazda
47315	5 x 114.3	64.1	20mm	12 x 1.50	Honda / Acura
47321	5 x 112	57.1	20mm	14 x 1.50	VW / Audi
47322	5 x 112	66.56	20mm	14 x 1.50	Mercedes / New Audi
47325	5 x 120.7	70.3	20mm	12 x 1.50	Chevrolet
47326	5 x 120.7	70.3	20mm	14 x 1.50	Chevrolet (2010 - Current)
47330	5 x 114.3	70.6	20mm	1/2"	Ford
47331	5 x 114.3	70.6	20mm	14 x 1.50	Ford (2015 - Current)
47335	5 x 120	72.56	20mm	12 x 1.50	BMW
47340	5 x 130	71.6	20mm	14 x 1.50	Porsche

Jeep & Truck (1.50")



Part #	Bolt Pattern (inch)	Hub Diameter (mm)	Thickness	Stud Thread Pitch	Common Applications
47591	5 x 4.50	71.5	1.50"	1/2"	Jeep
47493C	5 x 4.50 to 5 x 5.00	71.5	1.50"	1/2"	Jeep
47592	5 x 5.00	71.5	1.50"	1/2"	Jeep
47656	6 x 5.50	106	1.50"	12 x 1.50	Toyota
47801	6 x 135	87.1	1.50"	14 x 2.00	Ford
47804	6 x 5.50	78.1	1.50"	14 x 1.50	Chevy
47808	6 x 135	87.1	1.50"	14 x 1.50	Ford (2015 - Current)
47814	5 x 150	110	1.50"	14 x 1.50	Landcruiser, Tundra (5-Lug)
47820	5 x 5.50	77.8	1.50"	9/16"	Dodge Ram (2002 - 2011)
47823	5 x 5.50	77.8	1.50"	14 x 1.50	Ram Trucks (2011 - Current)
47826	5 x 5.00	71.5	1.50"	14 x 1.50	Grand Cherokee (2011+)

Jeep & Truck (1.25")



Part #	Bolt Pattern (inch)	Hub Diameter	Thickness	Stud Thread Pitch	Common Applications
47492	5 x 4.50	71.5	1.25"	1/2"	Jeep
47493	5 x 4.50 to 5 x 5.00	71.5	1.25"	1/2"	Jeep
47494	5 x 5.00	71.5	1.25"	1/2"	Jeep
47657	6 x 5.50	106	1.25"	12 x 1.5	Toyota
47800	6 x 135	87.1	1.25"	14 x 2.00	Ford
47803	6 x 5.50	78.1	1.25"	14 x 1.50	Chevy
47806	6 x 135	87.1	1.25"	14 x 1.50	Ford (2015 - Current)
47813	5 x 150	110	1.25"	14 x 1.50	Landcruiser, Tundra (5-Lug)
47822	5 x 5.50	77.8	1.25"	9/16"	Dodge Ram (2002-2011)
47822	5 x 5.50	77.8	1.25"	14 x 1.50	Ram Trucks (2011 - Current)
47825	5 x 5	71.5	1.25"	14 x 1.50	Grand Cherokee (2011+)

Jeep & Truck (2.00")



Part #	Bolt Pattern (inch)	Hub Diameter (mm)	Thickness	Stud Thread Pitch	Common Applications
47593	5 x 4.50	71.5	2.00"	1/2"	Jeep
47493E	5 x 4.50 to 5 x 5.00	71.5	2.00"	1/2"	Jeep
47594	5 x 5.00	71.5	2.00"	1/2"	Jeep
47655	6 x 5.50	106	2.00"	12 x 1.50	Toyota
47802	6 x 135	87.1	2.00"	14 x 2.00	Ford
47805	6 x 5.50	78.1	2.00"	14 x 1.50	Chevy
47809	6 x 135	87.1	2.00"	14 x 1.50	Ford (2015 - Current)
47815	5 x 150	110	2.00"	14 x 1.50	Landcruiser, Tundra (5-Lug)
47821	5 x 5.50	77.8	2.00"	9/16"	Dodge Ram (2002 - 2011)
47824	5 x 5.50	77.8	2.00"	14 x 1.50	Ram Trucks (2011 - Current)
47827	5 x 5.00	71.5	2.00"	14 x 1.50	Grand Cherokee (2011+)

Billet Adapters

Our high quality Billet Adapters are manufactured with 6061-T6 grade aluminum. Built for superior strength and durability. Each adapter includes open ended lug nuts and 12.9 grade studs. Available in single-drill and dual-drill.



Bolt Pattern Conversion	
Metric	Inch
4 x 100mm	4 x 3.93in
4 x 107.95mm	4 x 4.25in
4 x 110mm	4 x 4.33in
4 x 114.3mm	4 x 4.5in
4 x 130mm	4 x 5.12in
4 x 140mm	4 x 5.51in
5 x 100mm	5 x 4.00in
5 x 107.3mm	5 x 4.22in
5 x 108mm	5 x 4.25in
5 x 110mm	5 x 4.33in
5 x 112mm	5 x 4.41in
5 x 114.3mm	5 x 4.50in
5 x 115mm	5 x 4.53in
5 x 120mm	5 x 4.72in
5 x 120.7mm	5 x 4.75in
5 x 127mm	5 x 5.00in
5 x 130mm	5 x 5.12in
5 x 135mm	5 x 5.31in
5 x 139.7mm	5 x 5.50in
5 x 150mm	5 x 5.91in
5 x 165.1mm	5 x 6.50in
6 x 114.3mm	6 x 4.50in
6 x 115mm	6 x 4.53in
6 x 127mm	6 x 5.00in
6 x 132mm	6 x 5.20in
6 x 135mm	6 x 5.31in
6 x 139.7mm	6 x 5.50in
7 x 150mm	7 x 5.91in
8 x 165.1mm	8 x 6.50in
8 x 170mm	8 x 6.69in

5 Lug Adapters

Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
77311	5 x 100mm	5 x 100mm	1"	57.1mm	12mm 1.5
77312	5 x 100mm	5 x 100mm	1.25"	57.1mm	12mm 1.5
77313	5 x 100mm	5 x 110mm	1"	57.1mm	12mm 1.5
77314	5 x 100mm	5 x 112mm	1"	57.1mm	12mm 1.5
77315	5 x 100mm	5 x 4.25"	1"	57.1mm	12mm 1.5
77316	5 x 100mm	5 x 114.3mm	1"	56.1mm	12mm 1.25
77317	5 x 100mm	5 x 4.5"	1"	57.1mm	12mm 1.5
77318	5 x 100mm	5 x 4.75"	1"	57.1mm	12mm 1.5
77319	5 x 105mm	5 x 100mm	1"	57.1mm	12mm 1.5
77320	5 x 105mm	5 x 110mm	1"	57.1mm	12mm 1.5
77321	5 x 105mm	5 x 4.5"	1"	57.1mm	12mm 1.5
77322	5 x 110mm	5 x 100mm	1"	65.1mm	12mm 1.5
77323	5 x 110mm	5 x 110mm	1"	65.1mm	12mm 1.5
77324	5 x 110mm	5 x 112mm	1"	65.1mm	12mm 1.5
77325	5 x 110mm	5 x 4.5"	1"	65.1mm	12mm 1.5
77326	5 x 110mm	5 x 4.75"	1"	65.1mm	12mm 1.5
77327	5 x 115mm	5 x 115mm	1.25"	74mm	12mm 1.5
77328	5 x 115mm	5 x 115mm	1.25"	71.5mm	14mm 1.5
77329	5 x 115mm	5 x 4.5"	1.25"	74mm	12mm 1.5
77330	5 x 115mm	5 x 4.75"	1.25"	74mm	12mm 1.5
77331	5 x 115mm	5 x 5"	1.25"	74mm	12mm 1.5
77332	5 x 120mm	5 x 120mm	1.25"	74mm	14mm 1.5
77333	5 x 120mm	5 x 4.5"	1.25"	74mm	12mm 1.5
77334	5 x 120mm	5 x 4.75"	1.25"	74mm	12mm 1.5
77335	5 x 120mm	5 x 5"	1.25"	74mm	12mm 1.5
77336	5 x 130mm	5 x 130mm	1"	71.5mm	14mm 1.5
77337	5 x 130mm	5 x 130mm	1.25"	71.5mm	14mm 1.5
77338	5 x 135mm	5 x 135mm	1.5"	87.1mm	14mm 2
77339	5 x 135mm	5 x 4.5"	1.5"	87.1mm	14mm 2
77340	5 x 135mm	5 x 4.75"	1.5"	87.1mm	14mm 2
77341	5 x 135mm	5 x 5"	1.5"	87.1mm	14mm 2
77342	5 x 135mm	5 x 5.5"	1.5"	87.1mm	14mm 2
77343	5 x 150mm	5 x 150mm	1.5"	110mm	14mm 1.5
77344	5 x 4.25"	5 x 4.5"	1.25"	73.1mm	12mm 1.5
77345	5 x 4.5"	5 x 100mm	1"	74mm	12mm 1.5
77346	5 x 4.5"	5 x 110mm	1"	74mm	12mm 1.5
77347	5 x 4.5"	5 x 112mm	1.25"	74mm	12mm 1.5
77348	5 x 4.5"	5 x 115mm	1.25"	74mm	12mm 1.5
77349	5 x 4.5"	5 x 120mm	1.25"	74mm	14mm 1.5
77350	5 x 4.5"	5 x 135mm	1.25"	74mm	12mm 1.5
77351	5 x 4.5"	5 X 4.25"	1.25"	74mm	12mm 1.5
77352	5 x 4.5"	5 x 4.5"	1"	74mm	12mm 1.5
77353	5 x 4.5"	5 x 4.5"	1"	74mm	1/2"
77354	5 x 4.5"	5 x 4.5"	1.25"	74mm	12mm 1.5
77355	5 x 4.5"	5 x 4.5"	1.25"	74mm	1/2"
77356	5 x 4.5"	5 x 4.5"	1.5"	74mm	12mm 1.5
77357	5 x 4.5"	5 x 4.5"	1.5"	74mm	1/2"
77358	5 x 4.5"	5 x 4.5"	2"	74mm	12mm 1.5
77359	5 x 4.5"	5 x 4.5"	2"	74mm	1/2"
77360	5 x 4.5"	5 x 4.75"	1.25"	74mm	12mm 1.5
77361	5 x 4.5"	5 x 5"	1.25"	74mm	12mm 1.5
77362	5 x 4.5"	5 x 5"	1.25"	71.5mm	1/2"
77363	5 x 4.5"	5 x 5"	1.5"	71.5mm	1/2"
77364	5 x 4.5"	5 x 5.5"	1.25"	74mm	12mm 1.5

4 Lug Adapters

Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
77300	4 x 100mm	4 x 100mm	1"	60mm	12mm 1.5
77301	4 x 100mm	4 x 100mm	1.25"	60mm	12mm 1.5
77302	4 x 100mm	4 x 4.5"	1"	60mm	12mm 1.5
77303	4 x 4.25"	4 x 100mm	1"	71mm	12mm 1.5
77304	4 x 4.25"	4 x 4.25"	1"	71mm	12mm 1.5
77305	4 x 4.5"	4 x 100mm	1"	71mm	12mm 1.5
77306	4 x 4.5"	4 x 100mm	1.25"	71mm	12mm 1.5
77307	4 x 4.5"	4 x 4.5"	1"	71mm	12mm 1.5
77308	4 x 4.5"	4 x 4.5"	1.25"	71mm	12mm 1.5
77309	4 x 4.5"	4 x 4.5"	1.5"	71mm	12mm 1.5
77310	4 x 4.5"	4 x 4.5"	2"	71mm	12mm 1.5

All single-drill applications have a 3-day lead time.

5 Lug Adapters

Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
77365	5 x 4.75"	5 x 100mm	1.25"	74mm	12mm 1.5
77366	5 x 4.75"	5 x 112mm	1.25"	74mm	12mm 1.5
77367	5 x 4.75"	5 x 115mm	1.25"	74mm	12mm 1.5
77368	5 x 4.75"	5 x 120mm	1.25"	74mm	14mm 1.5
77369	5 x 4.75"	5 x 135mm	1.25"	74mm	12mm 1.5
77370	5 x 4.75"	5 x 4.5"	1.25"	74mm	12mm 1.5
77371	5 x 4.75"	5 x 4.75"	1"	74mm	12mm 1.5
77372	5 x 4.75"	5 x 4.75"	1"	74mm	7/16"
77373	5 x 4.75"	5 x 4.75"	1.25"	74mm	12mm 1.5
77374	5 x 4.75"	5 x 4.75"	1.25"	74mm	7/16"
77375	5 x 4.75"	5 x 4.75"	1.5"	74mm	12mm 1.5
77376	5 x 4.75"	5 x 4.75"	1.5"	74mm	7/16"
77377	5 x 4.75"	5 x 4.75"	2"	74mm	12mm 1.5
77378	5 x 4.75"	5 x 4.75"	2"	74mm	7/16"
77379	5 x 4.75"	5 x 4.75"	2.5"	74mm	12mm 1.5
77380	5 x 4.75"	5 x 4.75"	2.5"	74mm	7/16"
77381	5 x 4.75"	5 x 4.75"	3"	74mm	12mm 1.5
77382	5 x 4.75"	5 x 4.75"	3"	74mm	7/16"
77383	5 x 4.75"	5 x 5"	1.25"	74mm	12mm 1.5
77384	5 x 4.75"	5 x 5"	1.25"	74mm	12mm 1.5
77385	5 x 5"	5 x 115mm	1.25"	78mm	12mm 1.5
77386	5 x 5"	5 x 120mm	1.25"	78mm	14mm 1.5
77387	5 x 5"	5 x 135mm	1.25"	78mm	12mm 1.5
77388	5 x 5"	5 x 4.5"	1.25"	78mm	12mm 1.5
77389	5 x 5"	5 x 4.5"	1.25"	78mm	1/2"
77390	5 x 5"	5 x 4.5"	1.5"	78mm	1/2"
77391	5 x 5"	5 x 4.75"	1.25"	78mm	12mm 1.5
77392	5 x 5"	5 x 5"	1.25"	78mm	12mm 1.5
77393	5 x 5"	5 x 5"	1.25"	78mm	1/2"
77394	5 x 5"	5 x 5"	1.5"	78mm	12mm 1.5
77395	5 x 5"	5 x 5"	1.5"	78mm	1/2"
77396	5 x 5"	5 x 5"	2"	78mm	12mm 1.5
77397	5 x 5"	5 x 5"	2"	78mm	1/2"
77398	5 x 5"	5 x 5.5"	1.25"	78mm	12mm 1.5
77399	5 x 5.5"	5 x 135mm	1.5"	108mm	1/2"
77400	5 x 5.5"	5 x 4.5"	1.5"	87.1mm	1/2"
77401	5 x 5.5"	5 x 4.75"	1.5"	87.1mm	1/2"
77402	5 x 5.5"	5 x 5"	1.5"	87.1mm	1/2"
77403	5 x 5.5"	5 x 5.5"	1.25"	108mm	1/2"
77404	5 x 5.5"	5 x 5.5"	1.5"	108mm	1/2"
77405	5 x 5.5"	5 x 5.5"	1.5"	77.8mm	14mm 1.5
77406	5 x 5.5"	5 x 5.5"	1.5"	108mm	9/16"
77407	5 x 5.5"	5 x 5.5"	1.5"	77.8mm	9/16"
77408	5 x 5.5"	5 x 5.5"	2"	108mm	1/2"
77409	5 x 5.5"	5 x 5.5"	2"	77.8mm	14mm 1.5
77410	5 x 5.5"	5 x 5.5"	2"	108mm	9/16"
77411	5 x 5.5"	5 x 5.5"	2"	77.8mm	9/16"

All single-drill applications have a 3-day lead time.

6 Lug Adapters

Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
77412	6 x 132mm	6 x 5.5"	1.5"	74.5mm	14mm 1.5
77413	6 x 135mm	6 x 135mm	1.5"	87.1mm	14mm 2
77414	6 x 135mm	6 x 5.5"	1.5"	87.1mm	14mm 2
77415	6 x 4.5"	6 x 4.5"	1.5"	71.5mm	1/2"
77416	6 x 4.5"	6 x 4.5"	1.5"	66.1mm	12mm 1.25
77417	6 x 4.5"	6 x 5.5"	1.25"	71.5mm	1/2"
77418	6 x 5"	6 x 5.5"	1.25"	78.3mm	12mm 1.5
77419	6 x 5.5"	6 x 135mm	1.5"	78.1mm	14mm 1.5
77420	6 x 5.5"	6 x 4.5"	1.5"	78.1mm	14mm 1.5
77421	6 x 5.5"	6 x 5.5"	1.25"	108mm	12mm 1.5
77422	6 x 5.5"	6 x 5.5"	1.25"	78.1mm	14mm 1.5
77423	6 x 5.5"	6 x 5.5"	1.25"	106mm	12mm 1.5
77424	6 x 5.5"	6 x 5.5"	1.5"	108mm	12mm 1.5
77425	6 x 5.5"	6 x 5.5"	1.5"	78.1mm	14mm 1.5
77426	6 x 5.5"	6 x 5.5"	2"	108mm	12mm 1.5
77427	6 x 5.5"	6 x 5.5"	2"	78.1mm	14mm 1.5
77428	6 x 5.5"	6 x 5.5"	2.5"	108mm	12mm 1.5
77429	6 x 5.5"	6 x 5.5"	2.5"	78.1mm	14mm 1.5
77430	6 x 5.5"	6 x 5.5"	3"	108mm	12mm 1.5
77431	6 x 5.5"	6 x 5.5"	3"	78.1mm	14mm 1.5

8 Lug Adapters


Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
77432	8 x 170mm	8 x 170mm	1.5"	125mm	14mm 2
77433	8 x 170mm	8 x 170mm	1.5"	125mm	14mm 1.5
77434	8 x 170mm	8 x 170mm	2"	125mm	14mm 2
77435	8 x 170mm	8 x 170mm	2"	125mm	14mm 1.5
77436	8 x 170mm	8 x 170mm	2.5"	125mm	14mm 2
77437	8 x 170mm	8 x 170mm	2.5"	125mm	14mm 1.5
77438	8 x 170mm	8 x 170mm	3"	125mm	14mm 2
77439	8 x 170mm	8 x 170mm	3"	125mm	14mm 1.5
77440	8 x 170mm	8 x 6.5"	1.5"	125mm	14mm 1.5
77441	8 x 170mm	8 x 6.5"	2"	125mm	14mm 1.5
77442	8 x 180mm	8 x 180mm	1.5"	125mm	14mm 1.5
77443	8 x 180mm	8 x 180mm	2"	125mm	14mm 1.5
77444	8 x 180mm	8 x 6.5"	1.5"	125mm	14mm 1.5
77445	8 x 210mm	8 x 210mm	2"	146mm	14mm 1.5
77446	8 x 210mm	8 x 210mm	2"	155mm	14mm 1.5
77447	8 x 6.5"	8 x 170mm	1.5"	126mm	14mm 1.5
77448	8 x 6.5"	8 x 170mm	2"	126mm	14mm 1.5
77449	8 x 6.5"	8 x 180mm	1.5"	126mm	14mm 1.5
77450	8 x 6.5"	8 x 6.5"	1.5"	126mm	14mm 1.5
77451	8 x 6.5"	8 x 6.5"	1.5"	126mm	9/16"
77452	8 x 6.5"	8 x 6.5"	2"	126mm	14mm 1.5
77453	8 x 6.5"	8 x 6.5"	2"	126mm	9/16"
77454	8 x 6.5"	8 x 6.5"	2.5"	126mm	14mm 1.5
77455	8 x 6.5"	8 x 6.5"	2.5"	126mm	9/16"
77456	8 x 6.5"	8 x 6.5"	3"	126mm	14mm 1.5
77457	8 x 6.5"	8 x 6.5"	3"	126mm	9/16"

Dual-Drill Adapters

- Fits multiple applications
- Reduces inventory



Bolt Pattern Conversion	
Metric	Inch
4 x 100mm	4 x 3.93in
4 x 107.95mm	4 x 4.25in
4 x 110mm	4 x 4.33in
4 x 114.3mm	4 x 4.5in
4 x 130mm	4 x 5.12in
4 x 140mm	4 x 5.51in
5 x 100mm	5 x 4.00in
5 x 107.3mm	5 x 4.22in
5 x 108mm	5 x 4.25in
5 x 110mm	5 x 4.33in
5 x 112mm	5 x 4.41in
5 x 114.3mm	5 x 4.50in
5 x 115mm	5 x 4.53in
5 x 120mm	5 x 4.72in
5 x 120.7mm	5 x 4.75in
5 x 127mm	5 x 5.00in
5 x 130mm	5 x 5.12in
5 x 135mm	5 x 5.31in
5 x 139.7mm	5 x 5.50in
5 x 150mm	5 x 5.91in
5 x 165.1mm	5 x 6.50in
6 x 114.3mm	6 x 4.50in
6 x 115mm	6 x 4.53in
6 x 127mm	6 x 5.00in
6 x 132mm	6 x 5.20in
6 x 135mm	6 x 5.31in
6 x 139.7mm	6 x 5.50in
7 x 150mm	7 x 5.91in
8 x 165.1mm	8 x 6.50in
8 x 170mm	8 x 6.69in



Dual-Drill Adapters are drilled to fit two different bolt patterns. This helps reduce inventory while maintaining the ability to service multiple vehicles.

- Wheel studs are 1045 carbon steel, 10.9 grade.
- Adapters are made of aircraft quality 6061-T6 aluminum.

5 Lug Dual-Drill Adapters

Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
5450/5475-5450B	5 x 4.5" or 5 x 4.75"	5 x 4.5"	1.25"	74mm	12mm 1.5
5450/5475-5475B	5 x 4.5" or 5 x 4.75"	5 x 4.75"	1.25"	74mm	12mm 1.5
5450/5475-5500B	5 x 4.5" or 5 x 4.75"	5 x 5"	1.25"	74mm	12mm 1.5
5450/5475-5550B	5 x 4.5" or 5 x 4.75"	5 x 5.5"	1.25"	74mm	12mm 1.5
5500/5550-5135B	5 x 5" or 5 x 5.5"	5 x 135	1.25"	87mm	12mm 1.5
5500/5550-5450B	5 x 5" or 5 x 5.5"	5 x 4.5"	1.25"	87mm	12mm 1.5
5500/5550-5475B	5 x 5" or 5 x 5.5"	5 x 4.75"	1.25"	87mm	12mm 1.5
5500/5550-5500B	5 x 5" or 5 x 5.5"	5 x 5"	1.25"	87mm	12mm 1.5
5500/5550-5550B	5 x 5" or 5 x 5.5"	5 x 5.5"	1.25"	87mm	12mm 1.5
5135/5500-5135C	5 x 135 or 5 x 5"	5 x 135	1.50"	87mm	12mm 1.5
5135/5500-5450B	5 x 135 or 5 x 5"	5 x 4.5"	1.25"	87mm	12mm 1.5
5110/5112-5450B	5 x 110 or 5 x 112	5 x 4.5"	1.25"	87mm	12mm 1.5
5110/5112-5475B	5 x 110 or 5 x 112	5 x 4.75"	1.25"	87mm	12mm 1.5
5150/5500-5150C	5 x 150 or 5 x 5"	5 x 150	1.50"	87mm	12mm 1.5


6 Lug Dual-Drill Adapters

Part #	Vehicle	Wheel	Thickness	I.D.	Stud Thread Size
6550/6135-6135C	6 x 5.5" or 6 x 135	6 x 135	1.50"	108mm	14mm 1.5
6550/6135-6550C	6 x 5.5" or 6 x 135	6 x 5.5"	1.50"	108mm	14mm 1.5
6450/6500-6550C	6 x 4.5" or 6 x 5"	6 x 5.5"	1.50"	78.1mm	14mm 1.5

Hub-Centric Rings

Hub-Centric rings close the gap between the center bore of the wheel and the hub of the vehicle. This will reduce or eliminate vibration issues. Wheels that are not hub-centric can result in movement between the wheel and the hub which creates vibration.






COLOR CODING

Wheel Size (Small)	Wheel Size (Large)
66.56	78.1
67.1	87.1
72.56	106
73.1	108
74.1	110





O.D. (outer diameter) and I.D. (inner diameter) are measured in Millimeters below.

FCA66 Series #	O.D.	I.D.
FCA 665571	66.56	57.10
FCA67 Series #	O.D.	I.D.
FCA 67541	67.1	54.10
FCA 67561	67.1	56.10
FCA 67571	67.1	57.10
FCA72 Series #	O.D.	I.D.
FCA 72541	72.56	54.1
FCA 72561	72.56	56.1
FCA 72571	72.56	57.1
FCA 72601	72.56	60.1
FCA 72641	72.56	64.1
FCA 72651	72.56	65.1
FCA 72661	72.56	66.1
FCA 72666	72.56	66.56
FCA 72669	72.56	66.9
FCA 72671	72.56	67.1
FCA 72701	72.56	70.1
FCA 72703	72.56	70.3
FCA 72705	72.56	70.5
FCA 72715	72.56	71.5

FCA73 Series #	O.D.	I.D.
FCA 73541	73	54.1
FCA 73561	73	56.1
FCA 73571	73	57.1
FCA 73592	73	59.2
FCA 73601	73	60.1
FCA 73635	73	63.5
FCA 73639	73	63.9
FCA 73641	73	64.1
FCA 73651	73	65.1
FCA 73655	73	65.5
FCA 73661	73	66.1
FCA 73666	73	66.56
FCA 73669	73	66.9
FCA 73671	73	67.1
FCA 73701	73	70.1
FCA 73703	73	70.3
FCA 73705	73	70.5
FCA 73715	73	71.5
FCA 73726	73	72.56

FCA74 Series #	O.D.	I.D.
FCA 74541	74	54.1
FCA 74561	74	56.1
FCA 74571	74	57.1
FCA 74601	74	60.1
FCA 74635	74	63.5
FCA 74639	74	63.9
FCA 74641	74	64.1
FCA 74651	74	65.1
FCA 74661	74	66.1
FCA 74666	74	66.56
FCA 74671	74	67.1
FCA 74701	74	70.1
FCA 74703	74	70.3
FCA 74705	74	70.5
FCA 74715	74	71.5
FCA 74726	74	72.56
FCA78 Series #	O.D.	I.D.
FCA 78601	78	60.1
FCA 78641	78	64.1
FCA 78661	78	66.1

FCA 78666	78	66.56
FCA 78703	78	70.3
FCA 78715	78	71.5
FCA 78725	78	72.56
FCA 78741	78	74.1
FCA83 Series #	O.D.	I.D.
FCA 83601	83mm	60.1
FCA 83715	83mm	71.5
FCA 83741	83mm	74.1
FCA Large Series#	O.D.	I.D.
FCA 87781	87.1	78.1
FCA 106781	106	78.1
FCA 106871	106	87.1
FCA 108781	108	78.1
FCA 108871	108	87.1
FCA 108100	108	100
FCA 108106	108	106
FCA 110781	110	78.1
FCA 110871	110	87.1
FCA 110100	110	100
FCA 110106	110	106



All plastic hub rings are made from high heat resistant nylon. Nylon has a higher melting point than Polycarbonate. 428 F (220 C) vs 311 F (155 C).



Common Applications	
Hub Size	Vehicle
54.1	Toyota Corolla, Celica, Scion
56.1	GTS, MR2, Miata
56.6	Honda ('82-91) & Kia
57.1	Volkswagen, Audi
60.1	Toyota, Lexus GS, SC & ES300, SC400, LS400 (90-93)
63.4	Jaguar, Ford & Mercury Compact, Fiesta, Focus
63.9	Ford & Mercury Midsize
64.1	Honda, Acura
66.1	Nissan, Infiniti
66.56	Mercedes, Audi
66.9	Camaro (2010-Current), Cadillac CTS
67.1	Hyundai, Mazda, Mitsubishi
70.3	GM, Camaro (1982-2002)
70.5	Ford
71.5	Jeep, Chrysler
72.56	BMW
74.1	BMW 5 Series (97-03), BMW X5, X6 (Front)
78.1	Chevy Silverado, GMC Sierra, Cadillac Escalade
87.1	Ford F-150, Expedition
106	Toyota Tacoma, Tundra (6-Lug)
108	Mitsubishi Montero
110	Toyota Landcruiser, Tundra (5-Lug)

Valve Stems

Our Valve Stems are ISO certified and manufactured with EPDM rubber designed for ozone resistance. The rubber is formulated to withstand severe temperature and weather conditions.



Part#	75105	75106
TR#	Outer Mount	VW-9
Hole Dia.	.453	.453

These valve stems are used when adaptation issues occur. Aftermarket wheels with low profile tires may have valve hole angles that differ from the OE wheels.



SNAP-IN VALVE STEMS

Part#	75013B	75012B	75001B	75008B	45600H
TR#	TR412C	TR412	TR413C	TR413	TR600HP
Qty.	100 Bag	100 Bag	100 Bag	100 Bag	100 Bag



TPMS Strap Kit

Part# 75100



4 Bands
4 Sensor Cradles
4 Locking Clips
Fits up to 26" Wheels



Aluminum Valve Stems



Color: Black, Blue, Red

Part #
75000BLK
75009BLU
75009RED

- .453" Hole Diameter
- 0.3 oz Each
- 1.89" Height
- Dual EPDM Rubber Grommets

TPMS ACCESSORIES




Part#	75008TPMS	75001TPMS
TR#	TPMS413	TPMS413C
Qty.	50 Bag	50 Bag



Part#	75008TPMS-VDO
TR#	VS90
Qty:	12 Bag / 96 Box



Part#	75008TPMS-C
TR#	VS65
Qty:	12 Bag / 96 Box



BOLT-IN VALVE STEMS



Part#	75002B	75003B	75004B	75015B	75018B	75005B
TR#	Outer Mount	VS-8S	VW-8	VW-9	VW-9	Flush Mount
Hole Dia.	.453/.625	.230/.453	.453	.453	.453	.453/.625

VALVE STEM ACCESSORIES



Valve Cap - Chrome
Part# 75011B
100 Bag



Valve Cap N2 - Chrome
Part# 75011N
100 Bag



Full Sleeve
Part# 75011FS
1000 Bag / 5000 Case



Valve Core
Part# 75011VC
100 Bag / 1000 Case



Valve Core Removal Tool
Part# 76014
Each / 10 Bag



Single protocol and programmable sensors, covering 99% of model years from 2007 to now.



- Military grade lithium battery for extended life.
- EPDM rubber valves and grommets.
- Valve options - Rubber snap-in or Aluminum bolt-in.
- Compliant with FMVSS No. 138.
- Smaller design reduces damage risk during rotation.



PDQ 46 Tool

Sensor activation and programming + ECU reset.

Wireless programmable system supports fastest install time.

Compliant with OEM relearn procedures i.e. Stationary, OBD, and auto-learn.

PDQ relearn tools support multiple supply chains into the OEM and Aftermarket.

- Displays all sensor data in seconds: ID, tire pressure, tire temperature, battery status, etc.
- Provides comprehensive relearn information and instructions in 24 languages.
- The optional OBD2 module gives access to OBD relearns for 60% of all cars worldwide.
- Quick select vehicle look-up via Year, Make, and Model.
- Developed with state-of-the-art advanced TPMS technology.
- 2 year software and database updates included.
- 2.8" bright color display.



Part#	Description
PDQ-46	PDQ 46 Tool
PDQ-46-1000	PDQ 46 Tool and OBDII Module
PDQ-46U	PDQ 46 Tool Full Function Upgrade
PDQ-46SU	PDQ 46 Software Update
PDQ-46-OBDD	PDQ OBDII Module

PDQ Bundle

This package is part of our buy-in program. It requires the purchase of 24 sensors and a PDQ 46 tool will be provided free of charge.

- 24 Sensors
- PDQ 46 Tool (free)



Programmable Sensors



Programmable sensors can cover multiple vehicle applications with just one SKU. These dual-band sensors work with both 315 and 433 MHz frequency.



Part#	Description
PDQ-001	TPMS Wheel Sensor with Rubber Stem
PDQ-001OE	TPMS Wheel Sensor with OE Metal Stem
PDQ-001M	TPMS Wheel Sensor with Bright Metal Stem

Single Protocol Sensors



Single Protocol sensors are a featured product of high volume Service Centers. These sensors do not require programming.

Part#	Stem	Applications
OSC-0153S	Bright Metal	GM 07-Current
OSC-0153S-R	Black Rubber	GM (snap-in) 07-Current
OPA-3011S	Bright Metal	Toyota Passenger Car
OPA-3011S-R	Black Rubber	Toyota Passenger Car
OSC-0315S	Bright Metal	Ford (most) 09-Current
OSC-0315S-R	Black Rubber	Ford (most) 09-Current
OSE-7635S	Bright Metal	Ford 07-09
OSE-7635S-R	Black Rubber	Ford 07-09
OSC-8214S	Bright Metal	Chrysler/Mercedes
OSC-8214S-R	Black Rubber	Chrysler/Mercedes
OSE-6209S	Bright Metal	BMW 13-Current
OSE-6209S-R	Black Rubber	BMW 13-Current
OTR-7568S	Bright Metal	Ram/Jeep 14-Current
OTR-7568S-R	Black Rubber	Ram/Jeep 14-Current
OSE-7770S	Bright Metal	Chrysler/Dodge/Jeep
OSE-7770S-R	Black Rubber	Chrysler/Dodge/Jeep
OSC-F2GAS	Bright Metal	Ford 15-Current
OSC-F2GAS-R	Black Rubber	Ford 15-Current

Tools & Storage

- Tighten
- Torque
- Gauge
- Measure
- Organize



Valve Core Removal Tool

Part# 76014
Valve Core Removal Tool (Screwdriver Type)
Qty. Each (10 Bag)



Wheel Weight Removal Tool

Part# 76016
Steel, can be used with hammer
Qty. Each (10 Box)



Tire Tread Depth Gauge

Part# 76017
Measures tire tread wear
Qty. Each (10 Bag)



Thread Gauge

Part# 76005
12x1.25, 1.50, 1.75, 14x1.25, 1.50, 2.00, 7/16", 9/16"
Qty. Each



P.C.D. Gauge (Bolt Pattern Gauge)

Part# 76011
Measures Bolt Patterns (Wheels & Vehicles)
Qty. Each



Digital Micrometer

Part# 76013
Max 150mm, Includes Case & Extra Battery
Qty. Each



16pc Locking Lug Nut Master Key Set

Part# 76KIT
Includes 16 Heavy Duty Aftermarket Lug Nut Keys
Qty. Each (6 Case)



Pneumatic Flip Impact Socket

Part# 76009P
1/2" Drive 3/4" & 13/16" Flip Socket (Impact)
Qty. Each (12 Box)



Wheel Lock Removal Sockets

Part# 76015
3/4" (19mm) & 13/16" (21mm)
Qty. Each



4-Way Folding Wrench with Case

Part# 76003
17mm, 19mm-3/4", 21mm-13/16", 7/8"
Qty. Each




Thin Wall Socket

Part# 76009
19mm-3/4" & 21mm-13/16" Thin Wall Socket
Qty. Each



Extending Power Wrench with Case

Part# 76012
17-19mm & 13/16"-7/8" Thin Wall Flip Sockets
Qty. Each (20 Case)



Ideal storage for wheel accessories

- Includes :
- Commercial Grade Rolling Rack
 - 12 Small Bins
 - 6 Medium Bins
 - 4 Large Bins
 - Bin Labels with Part Numbers

FastCo Organization System


Part# 199336
Complete Storage Solution for Accessories
Qty. Each (6 Pallet)



Bin Dividers


Part# 199336-1
Dividers for Storage Bins
Qty. Pack of 6

Wheel & Tire Care + Displays



Tire Shine Applicator

Part# TSA 001
Applies Tire Shine Evenly, Ergonomic Handle
Qty. Each



Tire Shine Replacement Pads

Part# TSR 001
Refill Pads
Qty. Each



Wheel Display Hook (Screw-In)

Part# DS-5
Displays Wheels & Tires
Qty. Each



Wheel Display Hook (Slot Wall)

Part# DS-6
Displays Wheels & Tires
Qty. Each



Wheel Display Socks

Part# DS-8A (18" - 22")
Part# DS-8B (22" - 26")
Qty. Each (64 Case)



Lug Nut Displays

Part# DS-7
Displays Lug Nuts
Qty. Each



3-Piece Wheel Assembly Bolt - Chrome

Part# 79001
3-Piece Wheel Bolts (12 Point, 1.25" Long)
Qty. 250 Box / 1000 Case



3-Piece Wheel Assembly Nuts - Zinc

Part# 79011
Serrated Nut for 3-Piece Wheel Bolts 8mm 1.25
Qty. Each / 2000 Box



Wheel Inserts


Nickel Part# WI630
Black Part# WI630
Qty. 100 Box / 1000 Case

WHEEL & TIRE CARE + DISPLAYS



Wheel Display Rack (Free Standing)

Part# DS-FS
Wheel Display with Banner Hangers
Qty. Each



Wheel Display Half Rack

Black Part# 77421BK	Chrome Part# 77421
4 Wheel Capacity, Max Wheel 22"	
Qty. Each	

- High strength adhesive
- Premium powder coated finish
- Steel (lead free)



U.S.A. Made Adhesive



Low Profile Wheel Weight 1/4 oz

Silver: WW14-S	52 3 oz Strips / Box
Black: WW14-B	52 3 oz Strips / Box
Zinc: WW14-Z	52 3 oz Strips / Box



Wheel Weight 1/2 oz

Silver: WW12-S	52 3 oz Strips / Box
Black: WW12-B	52 3 oz Strips / Box
Zinc: WW-12-Z	52 3 oz Strips / Box



Curved design to fit wheel



Wheel Weight 1 oz

Silver: WW1-S	32 6 oz Strips / Box
Black: WW1-B	32 6 oz Strips / Box
Zinc: N/A	

Wheel Hardware

ORDERING:

All orders placed before 2pm E.S.T. will be shipped the same day. Since orders are processed immediately, we cannot consolidate freight on multiple orders placed the same day.

BACK ORDERS:

Back orders will be held and shipped as soon as possible, unless otherwise advised.

RETURNS:

A Returned Goods Authorization # (RGA #) must be obtained prior to returning any items.

FREIGHT POLICY:

Shipments within the United States in excess of \$500.00 will be shipped prepaid.

RETURNED CHECKS:

Any account issuing a N.S.F. check will be put on permanent cash or certified check basis. In addition, all bank fees will be charged back to the client.

DELINQUENT ACCOUNTS:

Any account not paid in full by the end of the following month will be considered delinquent. These accounts will be placed on credit hold until the past due balance is paid in full.

Earning your business. Winning your confidence.

We have over 40 years of experience with aftermarket wheel accessories. This allows us to offer you knowledge and customer service at a level that is unmatched in our industry. We supply quality wheel accessories at the most competitive prices on the market.

You are not only a valued customer, you are a valued partner. We believe in communicating and as a supplier we will never become distant from our customers. You'll always be a part of the conversation and kept up-to-date on new and innovative products as they become available. Our team understands the importance of your time that is why all orders are selected with accuracy and packed with the utmost attention and care. Your confidence is what we strive for and we hope to supply you with all your wheel accessory needs.



Place your order online at
www.fastcousa.com

